

Anti-metal NFC Epoxy Tag



Quick Details

Leadercolor LDF-D25EM Anti-metal NFC Sticker is complaint with ISO14443A protocol and it fits for all 13.56mhz Type A readers and antennas. It's read range up to 10cm and it supports printing on printer. It mostly used for mobile payment, E-ticketing and Product Authentication.

Description

RFID Parameter	
Model No.	LDF-D25EM
Type	HF Anti-metal NFC Epoxy Tag
Protocol	ISO / IEC 14443
Frequency	Worldwide HF 13.56Mhz
Chip	NTAG® 213
Memory	UID 7Byte User 144 Byte
Read&Write	Supported
Read Range	0.1-10cm
Data retention	10years
Programming Cycles	100,000 cycles
Physical Parameter	
Size	Diameter 25mm
Substrate Material	Release paper
Antenna Material	Aluminum Etching
Surface Material	PVC+Epoxy
Encode	Supported

Installation	Self adhesive
Operating temperature	1>Recommended: -25°C to +60°C 2> Operating Temp: -20°C to +80°C
Package	Single pack
Customized	Chips / Printing / Color / Size / Material

Application

- ✓ NFC posters, NFC device data connection and data transmission
- ✓ Mobile payment, Mobile wallet
- ✓ Product identification, personnel identification management
- ✓ E-ticketing, Loyalty System, Marketing and Advertisements